

**DESCRIPTION**

This product is a scale and corrosion inhibitor specifically formulated for open recirculating cooling water systems in areas of low hardness, low alkalinity and highly corrosive waters. It contains a superior phosphate corrosion inhibitor and yellow metal protectant. This product also contains a polymeric dispersant to ensure sludge and scale are easily removed from the system through a regular bleed-off program.

**DIRECTIONS**

Dosages of this product will depend on the characteristics of the make-up water, the permissible cycles of concentration and a cooling towers' rated tonnage versus its operational tonnage. This product should be fed at a rate of 300 to 500 ppm (40 to 64 ounces per 1000 gallons of cooling water capacity). It should be fed to maintain a residual molybdate test level of between 1.2 and 3.0 ppm molybdate.

It is recommended that this product be fed on a continuous basis using a suitable treatment pump and control unit. It may be fed directly from the drum or diluted to a convenient concentration with water. It should be fed to a point in the system where it will be thoroughly mixed and evenly distributed. This product should be used in conjunction with an alternating algaeicide and biocide treatment program.

# TOWER TREAT "S"

SCALE AND CORROSION INHIBITOR FOR COOLING TOWERS USING SOFT WATER

**WARNING:**

Harmful if swallowed. May cause severe burns. See back panel for further precautions and first aid instructions.

**KEEP OUT OF REACH OF CHILDREN**

SOLD BY:

**CAUTION**

Harmful if swallowed. May cause severe burns. Do not take internally. Avoid contact with skin, eyes, and mucous membranes.

**FIRST AID:**

**If Swallowed:** Give person several glasses of water. DO NOT induce vomiting. Obtain immediate medical assistance.

**If in Eyes:** Flush with plenty of cool water for at least 15 minutes. Obtain immediate medical assistance.

**If On Skin:** Wash thoroughly with soap and water. If irritation persists, obtain medical assistance.

**KEEP OUT OF REACH OF CHILDREN**

This Product Contains	CAS Number
Water .....	7732-18-5
Potassium Hydroxide .....	1310-58-3

1935.92809

**NET CONTENTS:**

5 6 20 30 35 55  
GALLONS