SNIPER

FOR USE IN FOOD PROCESSING PLANTS, WAREHOUSES, HOTELS AND MOTELS, OFFICE AND INDUSTRIAL BUILDINGS, HOSPITALS, THEATERS AND KENNELS

ACTIVE INGREDIENTS:	
d-trans Allethrin (allyl homolog of Cinerin I)	0.250%
Piperonyl butoxide, technical*	0.500%
N-octyl bicycloheptene dicarboximide	0.834%
INERT INGREDIENTS:	98.416%
TOTAL	100.000%

* Equivalent to 0.400% (butylcarbityl)(6-propylpiperonyl) ether and 0.100% related compounds.

Contains Petroleum Distillates, xylene or xylene range aromatic solvent.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for further precautionary statements and first aid instructions.

EPA REG. NO. 10088-86-68562 • EPA EST. NO. 10088-WI-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use. Do not inhale vapors or spray mist. May cause skin irritation. Avoid contact with skin, eyes or clothing. Remove pets and cover fish bowls before spraying.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not store or use near heat or open flame. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

In food processing areas, all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. Exposed food should be covered or removed. Do not apply when food processing is underway.

TO KILL FLIES, MOSQUITOES, GNATS AND SMALL FLYING MOTHS: Close room, warehouse or other area to be treated and shut off all ventilating systems. Dispense product as a fine mist using a hand sprayer, mist sprayer or thermal fogger. Use 1/2 to 1 fluid ounce per 1000 cubic feet of room space. Do not remain in treated area. Leave room closed for one-half hour. Ventilate area after treatment is completed. Repeat application as needed for insect control.

TO KILL COCKROACHES, ANTS AND CRICKETS: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves, refrigerators and wherever pests are suspected of hiding. To kill ants, treat door sills, window frames, ant trails and other areas of entry.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with sand or other inert absorbent and place in a closed, labeled container for proper disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of the smoke.

0399.081403

NET CONTENTS:

❒1 ❒5 ❒6 ❒15 ❒20 ❒30 ❒35 ❒55 GALLONS

SAMPLE LABEL