

CAUTIONS: May cause moderate eye irritation. May cause mild skin irritation. Prolonged or repeated contact may cause skin irritation. Inhalation can be irritating to eyes, nose and respiratory tract. Can cause dizziness, headaches, shortness of breath and incoordination. Nausea, vomiting and stomach upset can occur. Upon prolonged or repeated overexposure, may affect: Liver: Kidneys. Nervous system. Lungs and/or respiratory system. Heart and/or circulatory system. Blood and/or blood-forming organs.

FIRST AID:

EYES: Immediately flush with plenty of water for at least 15 minutes. Get prompt medical attention.

SKIN: Wash with soap and plenty of water.

INHALATION: Remove to fresh air. If symptoms develop, seek immediate medical attention.

INGESTION: Get immediate medical attention. Do NOT induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

WARNING: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45. Keep away from heat, sparks, and flames. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C) as container may burst. Avoid prolonged exposure to sunlight. Use with adequate ventilation.

KEEP OUT OF REACH OF CHILDREN.

See Material Safety Data Sheet for complete safety information.

24 HOUR MEDICAL EMERGENCY:

1-866-836-8855

CONTAINS NO OZONE
DEPLETING CHEMICALS!

FOAMING COIL CLEANER

FOAMING, NO RINSE CHILLER COIL CLEANER

- Dual-Quat Action
- Fresh, Long-Lasting

LEMON SCENT

NET WEIGHT: 19 oz. (539 g.)

CAUTION

**MAY CAUSE EYE IRRITATION.
CONTENTS UNDER PRESSURE.
KEEP OUT OF REACH OF CHILDREN**

Read carefully other cautions on back panel.

SOLD BY:

FOAMING COIL CLEANER is the quick and easy way to clean chiller coils. The 12-inch spray helps you get deep into unit for effective cleaning with no rinsing required. The tough surfactants cut through built-up grease, while killing odors, leaving a fresh lemon scent behind.

Regular maintenance keeps your chiller coils working at maximum efficiency and prolongs equipment life.

DIRECTIONS:

(Protective eyewear is recommended.)

1. Turn fan off.
2. Shake can well.
3. Use can upright or inverted.
4. Remove any large clumps of material such as lint or fuzz manually.
5. Hold can 12 inches from surface of air intake side of the coil.
6. Blast coils, being sure to cover entire area.
7. Turn fan on.

NO RINSING REQUIRED.

| This product contains | CAS number |
|---|------------|
| Deionized Water | 7440-66-6 |
| 2-Butoxyethanol | 111-76-2 |
| Tetrasodium salt of Ethylenediaminetetraacetic Acid | 64-02-8 |
| N, N-Dimethyl-1-hexadecylamine-N-oxide | 7128-91-8 |
| Liquefied Petroleum Gas | 68476-86-8 |

| HMIS® Ratings | |
|---------------------|----|
| Health | 2* |
| Flammability | 2 |
| Reactivity | 0 |
| Personal Protection | B |

* Chronic

PERSONAL PROTECTION INDEX:

GLASSES and GLOVES

8021 • 090905