

Description: Provides superior, long-term protection against rust and corrosion on ferrous bare metal and previously galvanized surfaces. Its galvanic action is equal to hot-dip galvanizing. Bonds easily to metal and works by acting as a sacrificial layer — so the zinc oxidizes instead of the metal. It can be used as a touch-up or primer for marred or scratched hot-dip galvanized surfaces, be painted over or used as a final protective coating.

DIRECTIONS: For proper spraying, can should be near room temperature. Spraying and drying should be done in a dust-free area. Surface to be sprayed should be clean, dry, and free of dirt, oil, grease, wax, etc. Protect surrounding items from overspray. Shake can until mixing balls rattle freely inside. Remove protective cap. Hold can upright with spray button about 12 to 18" (1/3 to 1/2 m) from surface. Press firmly on spray button. Use a side-to-side or up-and-down motion to apply coating over the surface. To reduce running and sagging, apply several thin coats, allowing about 15 minutes drying time between coats. Allow coating to dry thoroughly (up to 24 hours) before allowing anything to touch it. To prevent clogging of spray button, turn can upside-down after use and spray until only vapor or clear material comes out.

8311•090905

HMIS® Ratings	
Health	4
Flammability	2
Reactivity	0
Personal Protection	0

GALVANIZED COAT

ZINC-RICH GALVANIZING SPRAY

NET WEIGHT: 13 oz. (369 g.)

DANGER!
EXTREMELY FLAMMABLE
VAPOR MAY CAUSE FLASH FIRE.
VAPOR HARMFUL.
CONTACT MAY IRRITATE EYES.
KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

Sold By:

DANGER:EXTREMELY FLAMMABLE

Vapor may be harmful or fatal. May irritate eyes. Overexposure may cause central nervous system depression and/or irritation and damage to nervous system (including irreversible brain and nerve damage), digestive and respiratory tracts (including lungs), liver, kidneys, and other organs.

WARNING: This product contains a chemical known to the state of California to cause cancer.

FIRST AID
IF SWALLOWED: Contact a physician or poison control center immediately. DO NOT induce vomiting.

IF IN EYES: Flush eyes with water for at least 15 minutes. If irritation is persistent, contact a physician.

IF ON SKIN: Wash skin with soap and water. Remove all contaminated clothing and launder separately before reuse. If irritation is persistent, contact a physician

IF INHALED: Remove person to fresh air. If irritation is persistent, contact a physician.

See M.S.D.S. for complete safety information.

KEEP OUR OF REACH OF CHILDREN

Handling & Storage: Avoid excess heat, direct sunlight and open flame. Do not puncture or incinerate (burn) can. Store can in a cool, dry, well-ventilated area out of direct sunlight. Dispose of in accord with all applicable federal, state, and local regulations.

This product contains	CAS number
Zinc	7440-66-6
2-Butanone	78-93-3
Xylene	1330-20-7
4-Methyl-2-pentanone.....	108-10-1
Ethylbenzene	100-41-4